

STONE DECORATION GLUE

DESCRIPTION

Crystal sealing coating on hard surfaces such as furniture and tabletops. The modified epoxy resin makes it able to withstand 60-120 degrees Celsius for a long time and has a hardness of 85D.



FEATURES

- Fast curing speed
- Strong penetration
- High gloss&hardness
- Small shrinkage after curing
- Wear-resistant&aging-resistant
- Weather resistance,acid&alkali resistance
- Environmentally friendly

INSTRUCTIONS FOR USE

- Surface Preparation: Hold the stone and place it on a horizontal surface. Use a spirit level to ensure proper leveling.Polish the stone to a finish between #50 and #300 grit to achieve a smooth surface.
- Thoroughly mix components A and B in a 1:1 weight ratio.Allow the mixture to stand for 3-5 minutes. Some bubbles will naturally dissipate during this time.
- For large areas, a plastic scraper with serrated teeth is recommended for optimal control of the adhesive thickness.For smaller areas, a brush can be used.
- Pour the mixed adhesive evenly onto the stone.Apply the adhesive in a horizontal and then vertical motion to ensure complete coverage. The recommended adhesive thickness is 1.2mm.

- Quickly use a butane torch to gently burn the surface of the stone to remove air bubble.Only the areas with visible air bubbles require torching.
- Complete all application steps within 30 minutes. The adhesive will become increasingly difficult to level after this time.
- After application, cover the treated area with a protective shield. Allow the adhesive to dry for a minimum of 10 hours. Maximum hardness is achieved after 10 days of curing.
- Calculate the required amount of adhesive based on an average consumption of 650 grams per square meter.A minimum application rate of 500 grams per square meter is required for proper leveling. Each kit contains 2 kilograms of adhesive, sufficient to cover approximately 3 square meters.

STORAGE AND SAFETY

- The storage temperature should be above 0°C.
- Avoid contact with eyes. If it accidentally enters eyes, please rinse with water immediately.
- Do not take orally, please store in a cool, dry place out of reach of children.

WARRANTY

This data sheet is an information document compiled in good faith. It is correct based on our experience, but no warranty is given. The application, use or processing of the product is beyond our control and should be tested for suitability and therefore at your own risk. In no event shall we be liable to the customer or any other person for any incidental or consequential damages, however caused.