

TERRAZZO HARDENER

DESCRIPTION

A product that hardens both stone and concrete to avoid:

Whitening and cracking caused by using ordinary concrete hardener.

The problem of using ordinary concrete hardener to cause the stone to be shiny but the cement part is low-gloss.

Reduce the phenomenon that the color of wear-resistant emery floor becomes lighter and white after grinding.

INSTRUCTIONS FOR USE

Conventional hardening:

- Grind to 150#, the ground must be clean and dry. Mix the grinding stone hardener with water in a ratio of 1:4, and evenly sprinkle it on the ground after grinding and cleaning. Let the ground stay wet and soak for 30-40 minutes to allow it to penetrate and dry naturally.
- After the ground is dry, use a 300# resin grinding disc, mix the terrazzo hardener with water in a ratio of 1:10 after grinding, and spray the terrazzo hardener for the second time.
- After the surface is dry, use 500#, 1000#, 2000# diamond resin grinding discs for comprehensive grinding and polishing of the entire surface.

Hole filling:

- Grind to 150#, the ground must be clean and dry. Mix the terrazzo hardener with water in a ratio of 1:1, and evenly sprinkle it on the ground. Spread the Brimar repair powder evenly with a hard broom or polishing machine.
- Wait for 30 minutes.
- Mix the terrazzo hardener with water in a ratio of 1:2. After mixing, spray the terrazzo hardener for the second time. Use a 300# resin grinding disc to dry grinding and fill the hole at a low speed. Repeat several times until the effect is satisfactory.
- Continue to use 500#, 1000#, and 2000# diamond resin grinding discs for comprehensive dry grinding.



FEATURES

- Dustproof
- Compression resistance
- Weather Resistant.
- Corrosion resistance
- Anti-cracking
- Colour retouching

STORAGE AND SAFETY

- The storage temperature should be above 0 degrees Celsius and below 45 degrees Celsius.
- No contact with skin/eyes, protective measures recommended.
- Work in a well-ventilated area.
- Do not take orally, please store in a cool, dry place out of reach of children.

WARRANTY

This data sheet is an information document compiled in good faith. It is correct based on our experience, but no warranty is given. The application, use or processing of the product is beyond our control and should be tested for suitability and therefore at your own risk. In no event shall we be liable to the customer or any other person for any incidental or consequential damages, however caused.